


KBP




OUTLINE DRAWINGS



KBP

OUTLINE DIMENSIONS						
Dim.	Milimeters			Inches		
	Min.	Typ.	Max.	Min.	Typ.	Max.
A	14.00	-	15.00	0.5512	-	0.5906
B	10.80	-	11.80	0.4252	-	0.4646
C	3.15	-	3.75	0.1240	-	0.1476
D	0.60	-	1.00	0.0236	-	0.0394
E	14.60	-	16.50	0.5748	-	0.6496
F	3.45	-	4.05	0.1358	-	0.1594
L	18.00	-	20.00	0.7087	-	0.7874

RECOMMEDND LAYOUT DRAWINGS




KBP

OUTLINE DIMENSIONS						
Dim.	Milimeters			Inches		
	Min.	Typ.	Max.	Min.	Typ.	Max.
A	-	2.00	-	-	0.0787	-
B	-	2.00	-	-	0.0787	-
C	-	3.75	-	-	0.1476	-
D	-	1.00	-	-	0.0394	-

KBP




OUTLINE DRAWINGS



KBP

OUTLINE DIMENSIONS						
Dim.	Milimeters			Inches		
	Min.	Typ.	Max.	Min.	Typ.	Max.
A	14.10	-	15.10	0.5551	-	0.5945
B	10.80	-	11.80	0.4252	-	0.4646
C	3.50	-	4.10	0.1378	-	0.1614
D	0.60	-	1.00	0.0236	-	0.0394
E	12.70	-	14.70	0.5000	-	0.5787
F	3.55	-	4.15	0.1398	-	0.1634
L	15.20	-	17.20	0.5984	-	0.6772

#REF!




KBP

OUTLINE DIMENSIONS						
Dim.	Milimeters			Inches		
	Min.	Typ.	Max.	Min.	Typ.	Max.
A	-	2.00	-	-	0.0787	-
B	-	2.00	-	-	0.0787	-
C	-	3.85	-	-	0.1516	-
D	-	1.00	-	-	0.0394	-



KBP


MARKING



MARKING INSTRUCTION

NH=Niuhang Trademark
FF=Product Line Code,According To Actual Changes
YWW=Date Code,According To Actual Changes
LLWWF=Inernal Code,According To Actual Changes
KBP=Model
+ AC -=Polarity Mark

MARKING



MARKING INSTRUCTION

NH=Niuhang Trademark
FF=Product Line Code,According To Actual Changes
YWW=Date Code,According To Actual Changes
LLWWF=Inernal Code,According To Actual Changes
KBP=Model
+ AC -=Polarity Mark

PACKING INFORMATION

Package Type	Package Code	Product Weight Approx(g/Pcs)	Package Method	Quantity (Pcs/Min. Pack.)	Quantity (Pcs/Inner Box)	Quantity (Pcs/Carton)
KBP	P1	1.495	Box	500	500	5000
KBP	P2	1.495	Box	500	500	6000